

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,466 B2
APPLICATION NO. : 10/629864
DATED : December 13, 2005
INVENTOR(S) : Mikiya Umeyama et al.

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE

At Item (56), Foreign Patent Documents, "JP 2000-098126 3/2000
JP 2000-098669 3/2000
JP 2000-098671 3/2000
JP 2000-098851 3/2000" should be deleted.

At Item (56), insert U.S. Patent Documents as follows:

--6,435,649 B2	08-2002	Takahashi et al.	347/33
5,798,775	08-1999	Takahashi et al.	347/33
6,217,146 B1	04-2001	Takahashi et al.	347/33
5,381,169	01-1995	Arai et al.	247/33--.

COLUMN 1

Line 66, "arranged" should read --is arranged--.

COLUMN 2

Line 43, "front" should read --the front--.

COLUMN 3

Line 1, "front" should read --the front--.

Line 8, "recovery" should read --the recovery--.

Line 16, "wiping" should read --the wiping--.

Line 17, "orifice" should read --the orifice--.

Line 24, "where" should read --against which--.

Line 25, "against" should be deleted.

Line 26, "highly" should read --a highly--.

Line 28, "accurately." should read --accurate.--.

Line 29, "where" should read --against which-- and "against" should be deleted.

Line 55, "orifice" should read --the orifice--.

Line 61, "blade" should read --the blade--.

Line 67, "orifice" should read --the orifice--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,466 B2
APPLICATION NO. : 10/629864
DATED : December 13, 2005
INVENTOR(S) : Mikiya Umeyama et al.

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 4

Line 3, "orifice" should read --the orifice-- and "rubbed" should read --rubbed against--.
Line 13, "orifice" should read --the orifice-- and "rubbed" should read --rubbed against--.
Line 35, "two face" should read --two faces--.
Line 36, "orifice" should read --the orifice--.
Line 38, "orifice" should read --the orifice--.
Line 44, "front" should read --the front--.
Line 52, "using" should read --using a--.
Line 54, "orifice" should read --the orifice--.
Line 62, "designing" should read --designing the--.

COLUMN 5

Line 31, "extend" should read --extended--.
Line 59, "perspective" should read --a perspective--.

COLUMN 6

Line 41, "enlarge" should read --enlarged--.

COLUMN 7

Line 3, "illustrate" should read --illustrates--.
Line 36, "on example" should read --an example--.
Line 62, "Views" should read --views--.

COLUMN 8

Line 28, "perspective" should read --perspective view--.
Line 29, "twentieth" should read --a twentieth--.
Line 34, "the twenty-first" should read --a twenty-first--.
Line 37, "the twenty-" should read --a twenty--.

COLUMN 9

Line 33, "front plat" should read --front plate--.
Line 46, "present" should read --the present--.
Line 50, "recording read" should read --recording head--.
Line 53, "a room" should read --room--.
Line 55, "folding lines 111a" should read --folding lines 101a--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,466 B2
APPLICATION NO. : 10/629864
DATED : December 13, 2005
INVENTOR(S) : Mikiya Umeyama et al.

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10

Line 35, "surface 110d" should read --surface 101d--.
Line 39, "surface 110d" should read --surface 101d--.
Line 58, "folded portion 110a," should read --folded portion 101a,--.
Line 66, "111a," should read --101a,--.

COLUMN 11

Line 5, "surface 110d" should read --surface 101d-- and "orifice" should read --the orifice--.
Line 14, "fixe" should read --fix--.
Line 42, "portion 110d" should read --portion 101d--.
Line 46, "portion 110d" should read --portion 101d--.
Line 55, "surface 110d" should read --surface 101d--.
Line 56, "surface 110d" should read --surface 101d--.
Line 58, "front 110d" should read --front surface 101d--.
Line 61, "surface 110d" should read --surface 101d--.

COLUMN 12

Line 34, "reduce" should read --further reduce--.
Line 35, "products more." should read --products.--.
Line 61, "cost down." should read --lower cost.--.

COLUMN 13

Line 12, "harding" should read --hardening--.
Line 35, "a" (second occurrence) should read --an--.

COLUMN 15

Line 29, "nozzles 7 each other," should read --nozzles 7,--.

COLUMN 17

Line 15, "fort" should read --front--.
Line 45, "distanc" should read --distance--.
Line 51, "produce" should read --produces--.

COLUMN 19

Line 62, "provide" should read --provided--.

COLUMN 20

Line 45, "becomes" should read --become--.
Line 62, "neccessities" should read --necessitates--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,466 B2
APPLICATION NO. : 10/629864
DATED : December 13, 2005
INVENTOR(S) : Mikiya Umeyama et al.

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 21

Line 5, "form" should read --from--.

COLUMN 22

Line 58, "polypropylene" should read --polypropylene. ¶--.

COLUMN 23

Line 6, "plat" should read --plate--.

Line 55, "at" should be deleted.

COLUMN 25

Line 19, "for" should be deleted.

COLUMN 26

Line 30, "face" should read --faces--.

COLUMN 27

Line 63, "8" should read --of the--.

COLUMN 29

Line 9, "embodiment." should read --embodiments.--.

COLUMN 30

Line 50, "form" should read --from--.

COLUMN 32

Line 3 "curves" should read --curved--.

Line 28, "fixe" should read --fix.--.

COLUMN 33

Line 3, "close" should read --closes--.

Line 11, "highly" should read --for high--.

Line 56, "it" should read --It--.

COLUMN 34

Line 52, "wight" should read --weight--.

COLUMN 35

Line 36, "easier to be bent." should read --is easier to bend.--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,466 B2
APPLICATION NO. : 10/629864
DATED : December 13, 2005
INVENTOR(S) : Mikiya Umeyama et al.

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 36

Line 17, "represent" should read --represented--.
Line 44, "necessary" should read --necessarily--.

COLUMN 37

Line 30, "put down" should read --reduce--.
Line 34, "to" should be deleted.
Line 60, "nozzl s" should read --nozzles--.

COLUMN 38

Line 23, "greater." should read --further.--.

COLUMN 39

Line 49, "fording" should read --folding--.

COLUMN 42

Line 33, "pate" should read --plate--.
Line 59, "form" should read --from--.

COLUMN 43

Line 31, "wide" should read --width--.
Line 37, "advanc" should read --advance--.
Line 48, "rut" should read --rub--.

COLUMN 44

Line 21, "operation" should read --operations--.

COLUMN 45

Line 45, "curve" should read --a curve--.

COLUMN 46

Line 18, "gives damages to" should read --damages--.
Line 36, "to be" should be deleted.

COLUMN 47

Line 19, "is" should be deleted.

COLUMN 49

Line 12, "check" should read --to check--.
Line 22, "exist" should read --exists--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,466 B2
APPLICATION NO. : 10/629864
DATED : December 13, 2005
INVENTOR(S) : Mikiya Umeyama et al.

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 50


Line 50, "plated" should read --plate--.

COLUMN 51

Line 39, "liquid the" should read --liquid of the--.

Signed and Sealed this

Thirteenth Day of November, 2007

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office